Published: 09/19/68

## <u>Identification</u>

Reverse\_index
J. H. Cecil

#### Purpose

Reverse\_index is a routine equivalent to the built-in function, index, except that it searches the given character string from right to left, and has an additional restriction and an additional capability both described below.

## Description

Reverse\_index searches the input character string from right to left and returns the number of the first location (left-most character is location number 1, next is 2, etc.) in the string which contains the character corresponding to the input character, or returns zero if no character corresponds. Note that reverse\_index has a limitation which the index function does not have: it searches only for one character instead of for a string.

Reverse\_index, however, has an additional capability and an additional input argument. The user can set a switch, the third input argument, which controls whether reverse\_index searches for the first character which is either equal to or <u>not equal</u> to the input character. This capability is especially useful in searching for the right end of a phrase which may contain blanks. To do this, merely use reverse\_index to find the first character <u>not</u> equal to a blank.

#### Usage

loc = reverse\_index (in\_string, in\_char, equ\_sw);
 dcl in\_string char (\*) var,
 in\_char char (1),
 (equ\_sw, loc) fixed bin(17);

where in\_string is the string to be searched for a character equal to or not equal to in\_char.

equ\_sw is a switch such that

loc is set to the location number of in\_char in in\_string;
or to zero if the search fails.

# Examples

loc = reverse\_index ("test\_string", "t", 0);

returns loc = 7 having found the t in "string" at location 7.

loc = reverse\_index ("segment name", " ", 1);

returns loc = 12, the length of the phrase, after effectively passing over the blanks on the right.